

File Original and First Copy with  
Department of Ecology

Second Copy — Owner's Copy

Third Copy — Driller's Copy

307552  
**WATER WELL REPORT**

STATE OF WASHINGTON

Start Card No. 03007

UNIQUE WELL I.D. #

Water Right Permit No. 31/2/6C(1) OWNER: Name DESMOND - VANCE Address 116 MORRIS RD, COVINGTON, WA(2) LOCATION OF WELL: County ISLAND NE 1/4 NW 1/4 Sec 6 T. 31N N. R. 25E W.M.(2a) STREET ADDRESS OF WELL (or nearest address) MORRIS RD COVINGTON WA 98239(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal ☐  
☐ Irrigation ☐ Test Well ☐ Other ☐  
☐ DeWater(4) TYPE OF WORK: Owner's number of well (if more than one) 1  
Abandoned ☐ New well ☒ Method: Dug ☐ Bored ☐  
Deepened ☐ Cable ☒ Driven ☐  
Reconditioned ☐ Rotary ☐ Jetted ☐(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 123 feet. Depth of completed well 123 ft.

## (6) CONSTRUCTION DETAILS:

Casing installed: 6 Diam. from 0 ft. to 118 ft.  
Welded ☐ Diam. from     ft. to     ft.  
Liner installed ☐ Diam. from     ft. to     ft.  
Threaded ☐ Diam. from     ft. to     ft.Perforations: Yes ☐ No ☒Type of perforator used    SIZE of perforations     in. by     in.    perforations from     ft. to     ft.    perforations from     ft. to     ft.    perforations from     ft. to     ft.Screens: Yes ☒ No ☐Manufacturer's Name JOHNSONType STAINLESS Model No.    Diam. 6 Slot size 14 from 118 ft. to 123 ft.Diam.     Slot size     from     ft. to     ft.Gravel packed: Yes ☐ No ☒ Size of gravel    Gravel placed from     ft. to     ft.Surface seal: Yes ☒ No ☐ To what depth? 18 ft.Material used in seal BENTONITEDid any strata contain unusable water? Yes ☐ No ☒Type of water?     Depth of strata    Method of sealing strata off    (7) PUMP: Manufacturer's Name     H.P.      
Type:    (8) WATER LEVELS: Land surface elevation 125 ft.  
above mean sea level  
Static level 105 ft. below top of well Date 5-94  
Artesian pressure     lbs. per square inch Date      
Artesian water is controlled by     (Cap. valve, etc.)(9) WELL TESTS: Drawdown is amount water level is lowered below static level.  
Was a pump test made? Yes ☐ No ☒ If yes, by whom?      
Yield:     gal./min. with     ft. drawdown after     hrs.

" " " "

" " " "

" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time Water Level Time Water Level Time Water Level

                                                                     Date of test:    Boiler test 10 gal./min. with 7 ft. drawdown after 2 hrs.Airtest     gal./min. with stem set at     ft. for     hrs.Artesian flow     g.p.m. Date    Temperature of water     Was a chemical analysis made? Yes ☐ No ☒

## (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
SAND	0	7
CLAY	7	35
GRAVEL	35	50
CLAY	50	65
HARD PAN	65	118
WATER GRAVEL	118	123

RECEIVED

MAY 12 1994

DEPT. OF ECOLOGY

Work Started 5 19 94 Completed 5 19 94

## WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME WHIDREY DRILL  
(PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)Address OAK HARBOR WA(Signed) Francis John License No. 129  
(WELL DRILLER)Contractor's Registration No. 2011D289 MM Date MAY 10 19 94

(USE ADDITIONAL SHEETS IF NECESSARY)



# Well Tagging Form

Unique Well Tag No: APR 800

## RECORD VERIFICATION (check ☒ one)



Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. **Do not use this form for wells that do not have a Water Well Report.**

## WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name: LAWANA WOODLANDS WATER SYSTEM

Last Name:

Street Address: 116 E Morris Road

City: Coupeville

State: WA

98239

## LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address: Lawana Beach Lot 26 (parcel 57350-00-08026-0) Morris Road

City:

County:

T. 31 N. R. 2 E W.M. Sec. 6 SE  $\frac{1}{4}$  of the NW

Latitude 48 12.36625

Longitude 122 36.45688

Elevation at land surface 125

feet/meters (circle one)

SEE BACK SIDE OF PAGE...

RECEIVED

Y 12 2008 •

ECOLOGY

# WELL CHARACTERISTICS

Location of Well identification Tag:

strapped to well casing.  
6 feet south of pump house

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Scale 1:24,000 (1" = 2,000')

Indicate the location of the well within the Section by drawing a dot at that point

SECTION

6

COMMENTS:

Well is located in the center of the section, approximately 1/4 mile from the pump house.

The Department of Ecology does NOT warrant the Data and/or the Information on this Well Report.

# WATER WELL REPORT

## State of Washington

IC Site ID: 877 Unique Well ID  
Start Card: 03007  
Water Right: G1-20254CWRIS **APR 800**

(1) OWNER: Name: Desmond - Vance (Lawana Woodlands Water System) Address: 116 E. Morris Road Coupeville WA

(2) LOCATION OF WELL: Island: Whidbey Township/Range-Section: 31N/02E-06F Parcel Number: S7350-00-0B026-0

(2a) Well Address Morris Road, Coupeville, WA 98239 PWS-ID: 04954R Source: 1 PWS-Name: Lawana Woodlands Water System

(3) PROPOSED USE: Domestic

(4) TYPE OF WORK: Owner's Well Number (if more than one): 1  
New Well Method: Cable Tool

(5) DIMENSIONS: Diameter of Well: 6 inches.  
Drilled: 123 feet. Depth of Completed Well: 123 ft.

(6) CONSTRUCTION DETAILS:  
Casing Installed: Diam. (in) from to (ft)  
6 0 118

Screens: Type Zone Diam Slot from to (ft)  
Stainless Steel 1 6 0.01 118 123

Surface seal:  
Material: Bentonite To depth: 18 ft.

(7) PUMP: Type: Submersible Horsepower: 0.5

(8) WATER LEVELS: 2 Land-surface elevation (MSL): 125 ft.  
AvgWL Elevation: 6 Calc'd Elev: 110 ft.  
Earliest Level: 105.00 ft. below toc Date: 01-May-94  
Lastest Level: 103.10 ft. below toc Date: 24-May-94  
Average Level: 104.10 ft. below toc Average Date: 12-May-94

(9) WELL TESTS:  
Type Yield Drawdown After Date  
Bailer 10 gpm 7 feet 2 hours 01-May-94  
Pump 10 gpm 7.4 feet 24 hours 23-May-94

### (10) WELL LOG DESCRIPTION:

Material	From BGS	From MSL	Thick
Sand	0	110	7
Clay	7	103	29
Gravel	36	74	14
Clay	50	60	15
Hard Pan	65	45	53
Water Gravel	118	-8	5
TD	123	-13	

Work Completed: 01-May-94 TD Elev: -13 ft. MSL

### WELL CONSTRUCTOR CERTIFICATION:

Name: Whidbey Drillers  
Address: 1143 W. Ft. Nugent Rd, OIH, WA 98277  
Contractor's  
Registration Number: WHIDBWD289

Remarks: added 62' to easting and 40' to northing.

Location Source: North: 445009 Latitd: 48 12.36625  
DGPS East: 1567687 Longit: 122 36.45688  
Max CL: 70 Generated by the Island County  
Max NO3: 1.2 Hydrogeologic Database: 08-May-08

Disclaimer: Data presented has been collected from a variety of sources.  
Island County makes no guarantee as to the validity or accuracy of this data.  
Please report any errors to the Island County Hydrogeologist